

SEQUENCE LISTING



Snaidr, Jiri

<120> Method of Detecting Microorganisms in a Sample

<130> 235.017US1

<140> US 10/008,523

<141> 2001-11-07

<150> PCT/EP00/03989

<151> 2000-05-04

<150> DE 19921281.3

<151> 1999-05-07

<150> DE 19936875.9

<151> 1999-08-05

<160> 8

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1

tcgactgact tcagctcc

<210> 2

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 2

gctaactact tctggagc

<210> 3

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 3

accetectet eeeggtet

18

18

18

| <210> 4 | |
|---------------------------|----|
| <211> 18 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| (21) Attititat bequence | |
| | |
| <220> | |
| <223> Primer | |
| | |
| | |
| .400. 4 | |
| <400> 4 | |
| tggcccaccg gcttcggg | 18 |
| | |
| <210> 5 | |
| <211> 18 | |
| | |
| <212> DNA | |
| <213> Artificial Sequence | |
| | |
| <220> | |
| <223> Primer | |
| | |
| | |
| | |
| <400> 5 | |
| gctaactact tctggagc | 18 |
| | |
| <210> 6 | |
| | |
| <211> 18 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| - | |
| <220> | |
| <223> Primer | |
| <223> PITMET | |
| | |
| | |
| <400> 6 | |
| gctgcctccc gtaggagt | 18 |
| | |
| 010. 7 | |
| <210> 7 | |
| <211> 18 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| | |
| .220 | |
| <220> | |
| <223> Primer | |
| | |
| | |
| <400> 7 | |
| gcagccaccc gtaggtgt | 18 |
| geagecacee geaggege | |
| | |
| <210> 8 | |
| <211> 18 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| | |
| .000 | |
| <220> | |
| <223> Primer | |

<400> 8 gctgccaccc gtaggtgt

18